

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	17-4PH Metal Powder
Unique Formula Identifier (UFI)	GMP 17-4PH
Nanoform	Not assigned
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified Use(s)	Additive manufacturing, hot isostatic pressing, thermal spray, metal injection moulding, binder jetting.
Uses advised against	Any other use.
1.3 Details of the supplier of the safety data sheet	
Company Identification	Globus Metal Powders Ltd. Materials Processing Institute, Eston Road, Middlesbrough, TS6 6US
Telephone	+44(0)164 238 2000
E-mail (competent person)	gmp@globusmetalpowders.com
1.4 Emergency telephone number	
Emergency Phone No.	999 / 111 (or local emergency number)
Languages spoken	English (or local language)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 Aquatic Chronic 3; H412
2.2 Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
Product name	17-4PH Metal Powder
Contains:	Nickel
Hazard Pictogram(s)	Two hazard pictograms are shown side-by-side. The first is a red diamond containing a black silhouette of a person with a white starburst on their chest, representing a health hazard. The second is a red diamond containing a black exclamation mark, representing a warning.
Signal Word(s)	WARNING
Hazard Statement(s)	H317: May cause an allergic skin reaction. H351: Suspected of causing cancer. H373: May cause damage to organs through prolonged or repeated exposure. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P201: Obtain special instructions before use. P260: Do not breathe dust. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352: IF ON SKIN: Wash with plenty of water.

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

P308+P313: IF exposed or concerned: Get medical advice/attention.
P273: Avoid release to the environment.

Supplemental information

Not applicable

2.3 Other hazards

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Nickel	1 - < 6	7440-02-0	231-111-4	Not yet assigned in the supply chain	Skin Sens. 1; H317 Carc. 2; H351 STOT RE 1; H372 Aquatic Chronic 3; H412
Copper	2.5 - < 6	7440-50-8	231-159-6	Not yet assigned in the supply chain	Aquatic Chronic 2; H411
Manganese	1 - < 2	7439-96-5	231-105-1	Not yet assigned in the supply chain	Aquatic Chronic 2; H411

For full text of H phrases see section 16.

SECTION 4: First aid measures



4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin contact

Eye contact

Ingestion

Obtain special instructions before use. No action should be taken involving personal risk. Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Do not breathe dust. Avoid contact with skin and eyes.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.

IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove contaminated clothing and wash clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce vomiting. Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

As appropriate for surrounding fire. Use CO₂, dry chemical, or foam.

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

5.2	Unsuitable extinguishing media Special hazards arising from the substance or mixture	Do not use water jet. Direct water jet may spread the fire. Not flammable. Combustion products:, Carbon monoxide, Carbon dioxide and Nickel carbonyl gas.
5.3	Advice for firefighters	Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures	Caution - spillages may be slippery. Ensure operatives are trained to minimise exposures. No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Ensure adequate ventilation. Remove contaminated clothing and wash all affected areas with plenty of water. Avoid dust generation.
6.2	Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or water courses.
6.3	Methods and material for containment and cleaning up	Provided it is safe to do so, isolate the source of the leak. Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use non-sparking equipment when picking up flammable spill. Collect mechanically and dispose of according to Section 13. Use non-sparking tools. Ventilate the area and wash spill site after material pick-up is complete.
6.4	Reference to other sections	See Section: 8,13.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and wash clothing before reuse.
7.2	Conditions for safe storage, including any incompatibilities storage temperature	Keep only in original packaging. Keep in a well ventilated place. Keep container closed. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.
7.3	Incompatible materials Specific end use(s)	Keep away from: acids and strong oxidising agents. See Section: 1.2.

SECTION 8: Exposure controls/personal protection

- 8.1 **Control parameters**
8.1.1 **Occupational exposure limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Nickel	7440-02-0	-	0.5	-	-	UK WEL
Copper and compounds; dust and mists	-	0.2	-	-	-	UK WEL
Manganese	7439-96-5	- -	0.2 0.05	- -	- -	UK WEL Inhalable fraction Respirable fraction
Silicon	7440-21-3	-	10 4	10 4	10 4	UK WEL Inhalable fraction Respirable fraction




Source: UK WEL: Workplace Exposure Limit (UK HSE EH40)

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

8.1.2	Biological Limit Value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2	Exposure controls	
8.2.1	Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Do not breathe dust. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
8.2.2	Individual protection measures, such as personal protective equipment	Obtain special instructions before use. Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke at the work place. Do not breathe dust.
<p>Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.</p>		
	Eye / face protection 	Wear eye protection with side protection (EN166). Eyewash bottles should be available.
	Skin protection 	Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Protective index 6, corresponding > 480 minutes of permeation time according to EN 374. Body protection: Wear dust-resistant protective clothing.
	Respiratory protection 	Not normally required. Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. In case of inadequate ventilation wear respiratory protection. Recommended: EN143 Type A-P2.
	Thermal hazards	not applicable
8.2.3	Environmental exposure controls	Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	Grey
Odour	Odourless.
Melting point/freezing point	1404 - 1440°C
Initial boiling point and boiling range	No information available.
Flammability (solid, gas)	Not flammable.
Upper/lower flammability or explosive limits	Does not support combustion. (BS EN 14034) Layer ignition temperature - >400°C (BS EN 50281-2-1)
Flash point	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
pH	No information available.
Viscosity	No information available.
Solubility(ies)	No information available.
Partition coefficient: n-octanol/water	No information available.

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Vapour pressure	No information available.
Vapour density	No information available.
Relative density	7.8 g/cm ³
Particle characteristics	Powder

9.2 Other information

Particle size	> 1 µm
Explosive properties	Not explosive
Oxidising properties	Not oxidising.
Loss on Drying	No information available.
Moisture Content	0.0 % w/w

SECTION 10: Stability and reactivity

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4 Conditions to avoid	Hydrogen gas can be liberated when nickel or its alloys react with acids. In reduced atmospheres nickel can react with carbon monoxide to form Ni(CO) ₄ , which is an extremely toxic gas.
10.5 Incompatible materials	Keep away from: acids and strong oxidising agents.
10.6 Hazardous decomposition products	Combustion products:., Carbon monoxide, Carbon dioxide and Nickel carbonyl gas.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Acute toxicity - inhalation	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) > 5 mg/L (Dust)
Acute toxicity - Skin contact	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitisation	Mixture: Skin Sens. 1; H317: May cause an allergic skin reaction. Nickel Skin Sens. 1; H317: May cause an allergic skin reaction. EU Harmonised Classification EU ECHA Registration Endpoint summary Skin sensitisation - Adverse effects observed (NiPERA Report, 2010)
Germ cell mutagenicity	Mixture: Based upon the available data, the classification criteria are not met.
Carcinogenicity	Mixture: Carc. 2; H351: Suspected of causing cancer. Nickel Carc. 2; H351: Suspected of causing cancer. EU Harmonised Classification EU ECHA Registration Endpoint summary
Reproductive toxicity	Mixture: Based upon the available data, the classification criteria are not met.
STOT - single exposure	Mixture: Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Mixture: STOT RE 2; H373: May cause damage to organs through prolonged or repeated exposure. Nickel STOT RE 1; H372: Causes damage to organs through prolonged or repeated exposure. EU Harmonised Classification oral: NOAEL – 2.2 mg/kg/bw day (rat) (Unnamed publication, 2007) inhalation: LOAEC – 0.1mg/m ³ (rat) (OECD 451) dermal: No data
Aspiration hazard	Mixture: Based upon the available data, the classification criteria are not met.

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

No substances identified as having endocrine-disrupting properties.

11.2.2 Other information

None known

SECTION 12: Ecological information

12.1 Toxicity

Mixture: Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.
estimated LC50 (Mixture): >10 - ≤ 100 mg/l

Nickel Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.

EU Harmonised Classification

NOEC: 0.057 ug/L (Birge et al. 1984)

Copper Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

EU Harmonised Classification

Manganese Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

LC50: 0.17-15.61 mg/l (28 days) (U. S. National Library of Medicine, 2018)

No data for the mixture as a whole.

12.2 Persistence and degradability

Nickel Not applicable for inorganic substances.

Copper Not applicable for inorganic substances.

Manganese Not applicable for inorganic substances.

12.3 Bioaccumulative potential

No data for the mixture as a whole.

Nickel Low bioaccumulation potential.

BCF: 45 (Alikhan et al. 1989)

Copper Testing can be waived because the substance is an inorganic compound

Manganese Low bioaccumulation potential.

BCF: 19 (SOREN NORDAHL HANSEN, et.al. 1995)

12.4 Mobility in soil

No data for the mixture as a whole.

Nickel The product is predicted to have high mobility in soil.

Log Kp: 4.51 (Elbaz-Poulichet et al. 1996)

Manganese The product is predicted to have low mobility in soil.

Kd: ~994 (OECD 106)

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties

No substances identified as having endocrine-disrupting properties.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Do not allow to enter drains, sewers or watercourses. Dispose of this material and its container as hazardous waste Disposal should be in accordance with local, state or national legislation.

13.2 Additional information

Avoid release to the environment.

SECTION 14: Transport information

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

	ADR/RID	IMDG	IATA/CAO
14.1 UN number or ID number	None assigned	None assigned	None assigned
14.2 UN proper shipping name	None assigned	None assigned	None assigned
14.3 Transport hazard class(es)	None assigned	None assigned	None assigned
14.4 Packing group	None assigned	None assigned	None assigned
14.5 Environmental hazards	Not classified	Not classified as a Marine Pollutant.	Not classified
14.6 Special precautions for user	See Section: 2		
14.7 Maritime transport in bulk according to IMO instruments	No information available.	No information available.	No information available.

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Not restricted

15.1.2 National regulations

Germany Water hazard class: 2

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out. Exposure scenarios for substances in this preparation are not available.

SECTION 16: Other information

The following sections contain revisions or new statements: New SDS Regulation 2020/878 format, all sections have been updated to include new information. Please review SDS with care.

References:

EU Harmonised Classification and EU ECHA registration dossier for Nickel (CAS No. 7440-02-0) and Copper (CAS No. 7440-50-8).
ECHA registration dossier for Manganese (CAS No. 7439-96-5).
Test Result, Report Number: R001913R2V1GR, Sigma-HSE (UK) Ltd (2021).

Literature references

- Birge, W.J., J.A. Black, J.F. Hobson, A.G. Westerman, and T.M. Short. 1984. Water Resources Research Institute. Kentucky University, Lexington, KY. Research Report No. 151.
- U. S. National Library of Medicine. 2018. To determine long- term toxicity of test chemical on *Oncorhynchus mykiss*. HSDB (Hazardous Substances Data Bank); US national Library of Medicine reviewed by SRC.
- Alikhan, M.A., Zia, S. 1989. Nickel uptake and regulation in a copper-tolerant Decapod, *Cambarus (Fabricius) (Decapoda, Crustacea)*. Bull. Environ. Contam. Toxicol: 42, 94-102.
- SOREN NORDAHL HANSEN, et.al. 1995. Marine Pollution Bulletin, 1995.
- Elbaz-Poulichet, F., Garnier, J.M., Guan, D.M., Martin, J.M., Thomas, A.J. 1996. The conservative behaviour of Trace metals (Cd, Cu, Ni, Pb) and As in the surface plume of stratified estuaries: example of the Rhone River (France). Estuarine, Coastal and Shelf Science: 42, 289-310.

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification procedure
Skin Sens. 1; H317	Threshold Calculation
Carc. 2; H351	Threshold Calculation
STOT RE 2; H373	Threshold Calculation
Aquatic Chronic 3; H412	Summation Calculation

LEGEND

ADR	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	CAS: Chemical Abstracts Service
DNEL	Derived no effect level
EC	EC: European Community
EN	European Standard
EU	European Union
IATA	IATA: International Air Transport Association
ICAO/IATA	ICAO: International Civil Aviation Organization / IATA: International Air Transport Association
IMDG	IMDG: International Maritime Dangerous Goods
LC50	Lethal concentration 50
LD50	Lethal dose 50
LIT	Layer Ignition Temperature
LOAEC	Lowest Observed Adverse Effect Concentration

Safety Data Sheet

Version: 3.0 Revision date: 3rd June 2024 Date of First Issue 20th May 2021

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



LTEL	Long term exposure limit
MIE	Minimum Ignition Energy
MIT	Minimum Ignition Temperature
NOEC	No Observed Effect Concentration
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	PBT: Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL	Short term exposure limit
TWA	Time Weighted Average
UN	United Nations
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany) / water hazard class

Hazard classification / Classification code:

Skin Sens. 1; Skin Sensitisation, Category 1
Carc. 2; Carcinogenicity, Category 2
STOT RE 1; Specific target organ toxicity — repeated exposure, Category 1
STOT RE 2; Specific target organ toxicity — repeated exposure, Category 2
Aquatic Chronic 2; Hazardous to the aquatic environment, Chronic , Category 2
Aquatic Chronic 3; Hazardous to the aquatic environment, Chronic , Category 3

Hazard Statement(s)

H317: May cause an allergic skin reaction.
H351: Suspected of causing cancer.
H372: Causes damage to organs through prolonged or repeated exposure.
H373: May cause damage to organs through prolonged or repeated exposure.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Globus Metal Powders Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Globus Metal Powders Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure Scenarios are not applicable